


# pressSIGN Certification

Job name :  
 Printed by : ColorSYS  
 Press :  
 Ink & paper : Generic Coated Paper  
 Dryback : Dry press sheet  
 Date / Time :

Measurements :  
 Press Standard : ISO 12647-2:2007 Coated White Backing

	Score	Grade
CMYK Primaries	(18/20)	●
Paper	(5/5)	●
Overprint Lab	(N/A)	●
Overprint Trap	(12/12)	●
Grey Balance	(11/15)	●
Dot Gain (TVI)	(28/28)	●







93%

● Fail ● 60% ● 70% ● 80%

Lab Values & Density - Lab values measured D50, 2° Observer. Density measured Status T relative to paper

Colour	Measured Lab			Target Lab			dE (Tolerance dE)				CMYK Density (Estimated) Overprint Trap (Tolerance)
Cyan	56.06	-37.28	-50.24	55.00	-37.00	-50.00	1.12 (5.00)				1.37 (1.38)
Magenta	49.04	73.50	-5.73	48.00	74.00	-3.00	2.96 (5.00)				1.27 (1.39)
Yellow	88.00	-3.05	97.63	89.00	-5.00	93.00	5.12 (5.00)				1.08 (1.00)
Black	15.78	0.85	0.29	16.00	0.00	0.00	0.92 (5.00)				1.61 (1.61)
Red(M+Y) Overprint	48.55	68.14	50.82	47.00	68.00	48.00	3.22 (N/A)				92% (85%)
Green(C+Y) Overprint	49.85	-68.26	27.92	50.00	-68.00	25.00	2.94 (N/A)				94% (90%)
Blue(C+M) Overprint	23.88	24.48	-45.84	24.00	17.00	-46.00	7.48 (N/A)				94% (90%)
Paper	93.90	1.84	-3.86	95.00	0.00	-2.00	-1.10 (3.00)	1.84 (2.00)	-1.86 (2.00)		
Grey Balance 25% K	76.49	-0.33	-3.12	78.59	0.50	-3.83	0.82 (2.00)				
Grey Balance 50 %K	61.12	-0.40	-0.15	63.53	0.02	-3.13	1.32 (2.00)				
Grey Balance 75% K	40.78	-0.15	3.28	44.54	0.28	-2.49	5.73 (2.00)				

Dot Gain (TVI) Curves



# pressSIGN Certification

Job name : Imanta SM52 23.09  
Printed by : ColorSYS  
Press : SM 52  
Ink & paper : Generic Coated Paper  
Dryback : Dry press sheet  
Date / Time : ceturtdiena, 2009. gada 24. septembrā« 12:06

Measurements : 1 measurement  
Press Standard : ISO 12647-2:2007 Coated White Backing

93%

Fail 60% 70% 80%

### Measured Tint Data

Dot	Cyan	Magenta	Yellow	Black
0%	0.0%	0.0%	0.0%	0.0%
5%	7.6%	7.3%	7.6%	7.7%
10%	14.9%	14.4%	14.9%	15.2%
20%	29.3%	28.4%	29.4%	29.7%
25%	36.2%	35.1%	36.3%	36.5%
30%	42.8%	41.6%	43.0%	43.0%
40%	54.6%	53.3%	55.1%	54.2%
50%	64.9%	63.7%	65.8%	64.0%
60%	74.1%	73.0%	75.3%	73.2%
70%	82.0%	81.1%	83.2%	81.3%
75%	85.4%	84.6%	86.5%	84.9%
80%	88.6%	87.9%	89.6%	88.2%
90%	94.5%	94.1%	95.0%	94.3%
95%	97.3%	97.2%	97.6%	97.3%
100%	100.0%	100.0%	100.0%	100.0%

### Target Tint Data

Dot	Cyan	Magenta	Yellow	Black
0%	0.0%	0.0%	0.0%	0.0%
5%	7.0%	7.0%	7.0%	7.6%
10%	13.7%	13.7%	13.7%	15.0%
20%	27.3%	27.3%	27.3%	29.5%
25%	33.9%	33.9%	33.9%	36.6%
30%	40.4%	40.4%	40.4%	43.4%
40%	52.8%	52.8%	52.8%	56.0%
50%	64.0%	64.0%	64.0%	67.0%
60%	74.1%	74.1%	74.1%	76.4%
70%	82.5%	82.5%	82.5%	84.1%
75%	86.0%	86.0%	86.0%	87.3%
80%	89.2%	89.2%	89.2%	90.2%
90%	94.9%	94.9%	94.9%	95.3%
95%	97.6%	97.6%	97.6%	97.8%
100%	100.0%	100.0%	100.0%	100.0%

### Plate Adjustment Tint Data

Dot	Cyan	Magenta	Yellow	Black
0%	0.0%	0.0%	0.0%	0.0%
5%	-0.5%	-0.3%	-0.5%	-0.2%
10%	-0.9%	-0.5%	-0.9%	-0.2%
20%	-1.5%	-0.8%	-1.7%	-0.1%
25%	-1.9%	-0.9%	-1.9%	0.2%
30%	-1.9%	-0.9%	-2.2%	0.5%
40%	-1.6%	-0.4%	-2.1%	1.9%
50%	-0.9%	0.3%	-1.9%	3.3%
60%	0.0%	1.3%	-1.5%	3.9%
70%	0.9%	2.2%	-1.1%	4.1%
75%	1.0%	2.2%	-1.0%	3.8%
80%	1.1%	2.0%	-0.7%	3.3%
90%	0.8%	1.3%	-0.2%	2.0%
95%	0.6%	0.6%	-0.1%	0.9%
100%	0.0%	0.0%	0.0%	0.0%